

Certificate no: CMNZ70144

Version: 0

Original issue date: 31 August 2023

Version date: 31 August 2023

## 1. Certificate Holder Details



**Cohé Group Ltd**

9F Kellow Place, Wiri Auckland 2104 New Zealand  
info@cohe.co.nz  
0508 732 548  
www.cohe.co.nz

## 2. Product Certification Body

**Bureau Veritas Australia Pty Ltd**

11/500 Collins Street  
Melbourne VIC 3000 Australia  
product.certification@bureauveritas.com  
Ph: 1800 855 190  
www.bureauveritas.com.au

**Complaints:** The complaints process for this certificate can be found here:  
[www.bureauveritas.com.au/your-feedback](http://www.bureauveritas.com.au/your-feedback)

Sam Guindi – Bureau Veritas Product Certification Manager



**BUREAU  
VERITAS**

# Product Certificate

## Quick 2 Seal

### 3. Description of Building Method or Product

Name of the product or method in Aotearoa New Zealand, including any brand names used. Description of what it is and the components that make up any system and its physical attributes including the materials and make-up of the product, where applicable. Matters that should be taken into account in the use or application of the building method or product can be found in item 6. Conditions and Limitations of Use. The building method's or building product's catalogue or model identification number or numbers or other unique identifiers that might be used to identify the building product or building method

Quick 2 Seal is a two pack, flexible, self-priming waterproofing membrane.

Components include:

- Part A (Base) and Part B (Hardener)
- 2-Seal Primer (solvent free two-part etch primer)
- Cohé Group Seam Tape (Butyl rubber self-adhesive tape)
- Cohé Group Geofabric

### 4. Intended use of Building Method or Product

Intended use of the building method or product as described in the product manual and other instructional materials. A statement of the function or purpose of the building method or product.

Quick 2 Seal is a waterproofing membrane for decks, roofs, walls, and gutters.

### 5. New Zealand Building Code Provisions

The performance clauses of the New Zealand Building Code that are relevant to the intended use and with which the building method or product complies or contributes to (where used as part of a system).

How the building method or product complies or contributes can be found in item 8. Basis for Certification. Any qualifications on the extent of that compliance can be found in item 6. Conditions and Limitations of use.

**Clause B2 Durability:** Performance Clauses B2.3.1(b)

**Clause D1 Access routes:** Performance Clauses D1.3.3(d)

**Clause E2 External moisture:** Performance Clauses E2 2.3.1 (contributes to), E2.3.2, E2.3.7

**Clause F2 Hazardous building materials:** Performance Clauses F2.3.1



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70144

Version: 0

Original issue date: 31 August 2023

Version date: 31 August 2023

# Product Certificate

Quick 2 Seal



**BUREAU  
VERITAS**

## 6. Conditions and Limitations of Use

The building method or product's use is to be in accordance with the installation instructions and requirements against which the building method or product was assessed.

Conditions or limitations of conformity for the performance requirements the building method or product is compliant with, including any requirements for people with the qualifications and skills to install or use the building method or product, any known or demonstrated situations where the building method or product should not be used. A statement as to whether there are any matters that should be taken into account in the use or application of the building product or building method and, if so, what those matters are.

1. Quick 2 Seal is certified for use:
  - a. on buildings located in
    - i. all exposure zones (as in NZS3604:2011) except microclimates
    - ii. all wind zones up to and including Extra High (as in NZS3604:2011)
  - b. applied to the following substrates:
    - plywood
    - concrete
    - butynol
    - torch-on membrane, and
  - c. with a minimum finished gradient of at least 1.5°.
2. Where Quick 2 Seal is applied to a deck which provides an access route, the access route shall be level and the Quick 2 Seal membrane on the access route shall be kept dry or protected from water.
3. Quick 2 Seal shall be applied:
  - a. by a Cohe Group approved applicator who shall provide an "Approved Applicator" Certificate supplied by Cohe Group on request, and
  - b. in accordance with the Quick 2 Seal Installation Manual V3.2.

## 7. Health and Safety Information

Health, safety, and well-being declarations associated with installation, maintenance, and use of the building method or product, and their specific editions and dates necessary to ensure the performance requirements of clauses F1 to F9 of the Building Code can be met.

The compliance with any manufacturer's installation instructions, maintenance, OH & S Statements, MSDS's and other Health and Safety declarations will provide the necessary Health and Safety Information pertaining to the product.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70144

Version: 0

Original issue date: 31 August 2023

Version date: 31 August 2023

# Product Certificate

Quick 2 Seal



## 8. Basis for Certification

How the performance requirements in the Building Code were met for each of the provisions. Where used as part of a system, the specific contribution to compliance.

B2 Durability - By testing and comparison with Verification Method B2/VM1

D1 Access routes - By comparison with Acceptable Solution D1/AS1

E2 External moisture - By testing and comparison with Acceptable Solution E2/AS1

F2 Hazardous building materials - By comparison with the performance requirements of NZ Building Code clause F2.3.1

## 9. Supporting Documentation for Certification

Reference to any acceptable solutions, verification methods, New Zealand Standards, or other compliance pathways referenced against each individual performance requirement the building method or product is compliant with, and their specific version and date. Reference to documents describing tests and evaluations and any other documents relied on for certification or used to prove compliance, including their full title, specific version and date.

- Acceptable Solutions and Verification Methods for New Zealand Building Code Clause B2 Durability Second edition (Amendment 12), 28 November 2019
- Acceptable Solutions and Verification Methods for New Zealand Building Code Clause D1 Access Routes Second edition (Amendment 6), 1 January 2017
- Verification Methods E2/VM1 and Acceptable Solutions E2/AS1, E2/AS2 and E2/AS3 for New Zealand Building Code Clause E2 External Moisture Third edition (Amendment 10), 5 November 2020
- TUV Test Report Number 719109845419-MEC 18/06-ED, 11th June 2018
- TUV Test Report Number 842207188890-MEC20/08-EE, 27 August 2020
- BRANZ Test Report DC16560-01 Report on testing Quick 2 Seal Membrane for Elongation at Break, Peel Adhesion and Water Vapour Resistance, 5 September 2022
- MSDS Quick 2-Seal Part A, 24 May 2018
- MSDS Quick 2-Seal Part B, 24 May 2018
- Quick 2 Seal Installation Manual V3.2

## 10. Supporting Information About Description (Optional)

Any supporting information for section 3.

N/A

## 11. Supporting Information About Intended Use (Optional)

Any supporting information for section 4.

N/A



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.

Certificate no: CMNZ70144

Version: 0

Original issue date: 31 August 2023

Version date: 31 August 2023

# Product Certificate

Quick 2 Seal



## 12. Supporting Information About Conditions and Limitations of Use (Optional)

Any supporting information for section 6.

N/A

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>.